



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

RECORD
OF
FIELD NOTES

South Boundary.

West On the South Boundary of sw. 36 T. 9. N. 2 W.
 40.00 At Oak 20 in diam. stands for the ca of 7th sec
 80.00 Set a post for the ca of sec. 35 T. 9. N. 2 W. from which
 Sugar. 10 in diam. stands. N 63 E. 13th sec. dist. 12,
 Bech. 13th sec. S 80 W. 35th sec.
 2nd rate upland timber Oak, Bech. &c.

West On the South Boundary of sec. 35 T. 9. N. 2 W.
 24.00 To a Bech. 8 in diam. in the line
 40.00 Set a post from which = A Bech. in
 diam. stands for the ca of 7th sec
 80.00 Set a post for the ca of sec. 34 T. 9. N. 2 W. from which
 N. Ash. 8 in diam. stands. S 57 W. 15th sec. dist. 12,
 Sugar. 7th sec. S 49 E. 14th sec.
 Land poor hills timber Bech. Oak, &c.

West On the South Boundary of sw. 34 T. 9. N. 2 W.
 40.00 Set a post from which
 Red Oak. 16 in diam. stands. N 65 E. 9th sec. dist. 12,
 Bech. 12th sec. A 11 E. 9th sec.
 80.00 Set a post for the ca of sec. 33 T. 9. N. 2 W. from which
 B. Bech. 7 in diam. stands. N 84 E. 21st sec. dist. 12,
 Bech. 18th sec. S 42 W. 18th sec.
 Last 1/4 of a mile down a small drain 4th sec. in a
 3rd rate hill land timber Bech. Oak, &c. The Homestead
 I. line fell 125th sec. North of post. Dec. 13 1804.

West On the South Boundary of sw. 33 T. 9. N. 2 W.
 40.00 Set a post from which
 Bech. 10 in diam. stands. N 71 W. 17th sec. dist. 12,
 Sugar. 7th sec. S 91 E. 17th sec.
 80.00 Set a post for the ca of sec. 32 T. 9. N. 2 W. from which

South Boundary.

West On the South Boundary of sec. 33 T. 3. N. R. 2 W.
 40,00 A 1/2 Oak 20 in diam. stands for the ca of 1/4 sec
 80,00 Set a post for the ca of sec. 33 T. 3. N. R. 2 W. from which
 Sugar. 10 in diam. bears N 63 E. 13 links east, 10,
 Buck. 13 " " S 80 W 35 " "
 2nd rate spruce timber Oak, Buck, &c.

West On the South Boundary of sec. 35 T. 3. N. R. 2 W.
 24,00 To a Buck. 8 in diam. with line
 40,00 Set a post from which = A Buck. in
 diam. stands for the ca of 1/4 sec
 80,00 Set a post for the ca of sec. 34 T. 3. N. R. 2 W. from which,
 N Ash. 8 in diam. bears S 57 W. 15 links east, 10,
 Spruce 7 " " S 49 E. 14 " "
 Land poor hills timber Buck, Oak, &c.

West On the South Boundary of sec. 34 T. 3. N. R. 2 W.
 40,00 Set a post from which,
 Red Oak. 16 in diam. bears N 65 E 9 links east, 10,
 Buck. 12 " " S 11 E 9 " "
 80,00 Set a post for the ca of sec. 33 T. 3. N. R. 2 W. from which,
 B. Buck. 7 in diam. bears N 84 E. 21 links east, 10,
 Buck. 18 " " S 42 W. 18 " "
 Last 1/4 of a mile down a small drain 4 links mid
 3rd rate hills land timber Buck, Oak, &c. The Homestead
 I. Lin. Fell 125 links North of post. Dec. 13 1804.

West On the South Boundary of sec. 33 T. 3. N. R. 2 W.
 40,00 Set a post from which,
 Buck. 10 in diam. bears N 71 W. 17 links east, 10,
 Do. 7 " " S 91 E 17 " "
 80,00 Set a post for the ca of sec. 32 T. 3. N. R. 2 W. from which,

T. N. 3. N. R. N. 27 D. 2nd Mm. Ind.

Beck 12 in dia: bears N 45 E 8 the dist. 10,
 No 7, " " S 7 E 18, "
 Description of lands omitted

West On the South Boundary of sec 32 T. 3. N. R. 27 W
 40.00 Set a post from which

Poplar 8 in dia: bears S 82 W 25 the dist. 10,
 No other tree near

80.00 Set a post for the cor. of sec 31 & 32 from which
 Gum 20 in dia: bears N 79 E 4 the dist. 10,
 B Oak 7 " " " S 79 W. " "
 Lands 3rd rate;

West On the South Boundary of sec 31 T. 3. N. R. 27 W
 40.00 Set a post from which

Elm 8 in dia: bears S 52 W 10 the dist. 10,
 Buck 11, " " " N 52 E 10, "

80.00 In the Township corner S. 28 3. N. R. 102 W
 Lands 3rd rate; Timber Oak, &c. Dec. 15. 1804
 Surveyed by

Thos. J. Stone.

Depy. Surveyor

East Boundary.

North On the East Boundary of sec 36 T. 3. N. R. 27 W
 31.50 To a W Oak 36 in dia: in the river.

40.00 A Buck 12 in dia: marked for the new cor

29.00 To a W Oak 10 in dia: in the river

80.00 Set a post for the cor. of sec 25 & 36 from which

Sugar 8 in dia: bears S 30 W 22 the dist. 10,
 Poplar 7, " " " N 19 W 13, "

Lands 2nd rate hill Timber Oak, Gum poplar,
 Sugar 13 T. 11 Walnut, &c.

T. N. 3. N. R. N. 27 D. 2nd Mm. Ind.

North On the East Boundary of sec 35 T. 3. N. R. 27 W

32.50 To a W Oak 18 in dia: in the river.

40.00 Set a post from which

N Walnut 7 in dia: bears N 11 E 18 the dist. 10,
 Sassafras 7, " " " N 16 W 14, "

73.00 To a B Oak 36 in dia: in the river

80.00 Set a post for the cor. of sec 24 & 35 from which

Sugar 12 in dia: bears N 10 E 16 the dist. 10,
 W Oak 12 " " " S 77 W 30 " "

Lands flat ridge 1st rate;

North On the East Boundary of sec 24 T. 3. N. R. 27 W

34.28 To a W Oak 24 in dia: in the river.

40.00 Set a post from which

Poplar 30 in dia: bears S 83 E 21 the dist. 10,
 Buck 16 " " " N 51 W 23, "

57.65 To a W Oak 18 in dia: in the river.

80.00 Set a post for the cor. of sec 13 & 24 from which

Buck 6 in dia: bears N 29 W 22 the dist. 10,
 Pl. 18 " " " N 63 E 32, "

Lands &c. 3rd rate; Timber Buck, Oak, &c. Poplar

North On the East Boundary of sec 13 T. 3. N. R. 27 W

25.60 To a Buck 18 in dia: in the river.

41.00 Set a post from which

Gum 20 in dia: bears N 12 E 29 the dist. 10,
 Dogwood " " " S 8 E 18 " "

63.30 To a Poplar 40 in dia: in the river.

80.00 Set a post for the cor. of sec 12 & 13 from which

Buck 16 in dia: bears N 22 W 50 the dist. 10,
 W Oak 18 " " " N 16 E 35, "

Lands 2nd & 3rd rate; Timber Buck, Poplar, Oak, &c.

T. N. 3 N. R. N. 27 2nd Mm. Ad.

Beck 12 in dia: bears N 45 E. 8 lbs each, 10,

Do 7 " " S 7 E 18 " "

Description of lands omitted

West On the South Boundary of sec. 32 T. 3. N. R. 27 W

40.00 Set a 1/2 sup post from which,

Poplar 8 in dia: bears S 82 W. 35 lbs each, 10,

no other tree near

80.00 Set a post for the cor. of sec. 31 & 32 from which,

Gum 20 in dia: bears N 79 E. 4 lbs each, 10,

Oak 7 " " S 77 W. " "

Lands 3rd rate;

West On the South Boundary of sec. 31 T. 3. N. R. 27 W

40.00 Set a 1/2 sup post from which,

Oak 8 in dia: bears S 52 W. 10 lbs each, 10,

Beck 11 " " N 52 E. 10 " "

80.00 To the Township corner S. 28 3. N. R. 10 W

Lands 3rd rate; Timber Oak, &c. Dec. 15. 1864

Surveyed by

J. J. Stone.

Dep. Surveyor

East Boundary.

North On the East Boundary of sec. 36 T. 3. N. R. 27 W

31.50 To a W Oak 36 in dia: in the river.

40.00 At Beck 12 in dia: marked for the new cor

49.00 To a W Oak 10 in dia: in the river

80.00 Set a post for the cor. of sec. 25 & 36 from which,

Sugar 8 in dia: bears S 30 W. 22 lbs each, 10,

Poplar 7 " " N 19 W. 13 " "

Lands 2nd rate hill Timber Oak, Gum poplar,

Sugar 13 & 17 Walnut, &c.

T. N. 3 N. R. N. 27 2nd Mm. Ad.

North On the East Boundary of sec. 25 T. 3. N. R. 27 W

32.50 To a W Oak 18 in dia: in the river.

40.00 Set a 1/2 sup post from which,

W Walnut 7 in dia: bears N 11 E. 18 lbs each, 10,

Shalafas 7 " " N 6 W. 14 " "

73.00 To a W Oak 36 in dia: in the river

80.00 Set a post for the cor. of sec. 24 & 25 from which,

Sugar 12 in dia: bears N 10 E. 16 lbs each, 10,

Oak 12 " " S 77 W. 30 " "

Lands flat ridge 1st rate.

North On the East Boundary of sec. 24 T. 3. N. R. 27 W

34.28 To a W Oak 24 in dia: in the river.

40.00 Set a 1/2 sup post from which,

Poplar 30 in dia: bears S 83 E. 21 lbs each, 10,

Beck 6 " " N 51 W. 23 " "

57.65 To a W Oak 18 in dia: in the river.

80.00 Set a post for the cor. of sec. 13 & 24 from which,

Beck 6 in dia: bears N 29 W. 22 lbs each, 10,

Do 18 " " N 63 E. 32 " "

Lands &c. 3rd rate; Timber Beck, Oak, &c. Upland?

North On the East Boundary of sec. 13 T. 3. N. R. 27 W

25.60 To a Beck 18 in dia: in the river.

41.00 Set a 1/2 sup post from which,

Gum 20 in dia: bears N 10 E. 22 lbs each, 10,

Dogwood " " S 8 E. 18 " "

63.30 To a Poplar 40 in dia: in the river.

80.00 Set a post for the cor. of sec. 12 & 13 from which,

Beck 16 in dia: bears N 22 W. 50 lbs each, 10,

Oak 18 " " N 16 E. 35 " "

Lands & 2nd & 3rd rate; Timber Beck, Poplar, Oak, &c.

Corner to Sec 31 B3. T. 4. N. R. 27. From which,
 Butternut. 8 in dia: bear S 82 E. 5 1/2 lbs dish. 70
 Do. 7 " " " N 82 W. 5 " "
 East On the South Boundary of sec. 32. T. 4. N. R. 27.
 40.00 A Bech. 11 in dia: stands for the cor. of 4th sec.
 64.00 Intercept the Indian Boundary line & set a post from
 a Bech. 10 in dia: bear S 60 E. 19 lbs dish. 80
 Sugar. 16 " " " N 60 W. 23 " "
 Standing on Indian line; Land hilly & 2nd rate
 Timber Oak, Some Bech, &c.

West On the South Boundary of Sec. 31. T. 4. N. R. 27
 40.00 A Bech. 8 in dia: stands for the cor. of 4th sec.
 80.39 To the post cor. of T. 3. N. R. 27
 Land Timber &c. Same as in the last mile.
 Surveyed by J. S. P. & Stone
 Dec. 14. 1864. (Copy) Surv. 1864

West Boundary 818
 North On the East Boundary of sec. 36. T. 3. N. R. 3 W.
 1.75 To a Brook 12 links wide, Corner S. W.
 3.17 To an Elm 10 in dia: in the river.
 28.34 To a Bech. 14 in " " " "
 31.00 To timbered lands; middling soil.
 40.00 A Gum 17 in dia: stands for the cor. of 4th sec.
 By lines for bearings
 80.00 Set 10 links East of the Ranam post & set a post for
 the cor. of Sec 25 B6. From which,
 W Oak 17 in dia: bear S 44 W. 4 1/2 lbs dish. 80
 Sugar. 10 " " " N 53 E. 27 " "
 Timber all killed by fire. Much live Dead &c.

North On the East Boundary of sec. 25. T. 3. N. R. 3 W.

14.30 To a Bech. 18 in dia: in the river.
 29.48 " " Sugar. 14 " " " "
 40.00 Set a post from which
 Sugar. 14 in dia: bear S 71 E. 21 links dish. 80
 Dogwood 8 " " " N 16 E. 8 " "
 42.30 To a sugar. 16 in dia: in the river.
 80.00 Set a post for the cor. of sec. 24 & 25 from which
 Elm. 8 in dia: bear N 39 W. 17 lbs dish. 80
 Do. 8 " " " S 48 E. 8 " "
 High hill lands middling soil Timber Oak, Bech &c.

North On the East Boundary of sec. 24. T. 3. N. R. 3 W.
 12.93 To a Bech 10 in dia: in the river.
 40.00 Set a post from which
 W Walnut. 10 in dia: bear S 5 W. 22 links dish. 80
 Poplar. 5 " " " N 12 W. 13 " "
 43.00 To a Bech 10 in dia: in the river.
 53.80 Do. 16 " " " "
 80.00 Set a post for the cor. of sec. 13 & 24 from which,
 Sugar 10 in dia: bear S 7 E. 6 lbs dish. 80
 Bech. 17 " " " N 22 W. 40 " "
 Set 50 links East & 20 links South of Ranam post
 Lands steep hills inequalities of soil Timber Oak & Bech

North On the East Boundary of sec. 13. N. R. 3 W.
 5.00 To a Creek 50 links wide, Corner W
 10.45 To a sugar. 12 in dia: in the river.
 31.56 W Oak 30 " " " "
 40.00 Set a post from which
 W Ash 18 in dia: bear S 20 E. 30 lbs dish. 80
 Do. 18 " " " N 69 W. 36 " "
 49.72 To a Bech. 24 in dia: in the river.
 52.00 To a Brook 14 links wide, Sec. S. W.

T. N. 3 N. R. N. 27 D. 2nd Mm. Ind. 2

North Return Sec. 23 & 24 T. 3. N. R. 27.
 40.00 Set a 7th suppost from which
 Hick 30 in dia. bears N 65 E. 5 lks dist; 73
 Dogwood 10 " " S 65 W. 26 " "
 57.50 To a Buck 10 in dia. in the line
 80.00 Set a post for the cor. of sec. 13 14 23 & 24 from which
 Dogwood 10 in dia. bears N 40 E. 15 lks dist; 12
 R. Oak 30 " " S 43 W. 18 " "
 Lands 2nd 13th rate; Buck, & Oak. Hills

West Return Sec. 13 & 24 T. 3. N. R. 27.
 40.00 Set a 7th suppost from which
 Buck 12 in dia. bears N 35 E. 15 lks dist; 13
 W Oak 18 " " N 12 W. 16 " "
 80.00 Set the post cor. of sec. 13 14 23 & 24
 North of 3rd rate Hill lands.

North Return Sec. 14 & 13 T. 3. N. R. 27.
 21.50 To a Hick 15 in dia. in the line.
 40.00 Marked the new cor. on a Buck 10 in dia.
 56.45 To a Poplar 36 in dia. in the line
 80.00 Set a post for the cor. of sec. 11 12. 13 & 14 from which
 Buck 14 in dia. bears S 78 W. 37 lks dist; 12
 Do. 14 " " N 72 E. 36 " "
 Lands 1st 2nd rate; Hills; Timber Buck, Oak,
 Poplar, &c.

West Return Sec. 12 & 13 T. 3. N. R. 27.
 40.00 Set a 7th suppost (from which) Marked
 the new cor. on a Poplar 7 in dia. in a Poplar thicket
 on a Ridge
 80.00 Set the post cor. of sec. 11 12. 13 & 14

T. N. 3 N. R. N. 27 D. 2nd Mm. Ind. 2

North Return Sec. 11 & 12 T. 3. N. R. 27 2nd Mm.
 25.18 To a Sugar 13 in dia. in the line.
 40.00 Set a 7th suppost from which
 W Oak 18 in dia. bears S 69 E. 14 lks dist; 12
 Do. 12 " " N 10 E. 14 " "
 74.30 Struck Freeman's line & set a post for the cor. of sec.
 Sec. 11 & 12 from which a
 Buck 12 in dia. bears N 68 W. 28 lks dist; 12
 Maple 10 " " S 21 E. 31 " "
 Struck oak in place; Sink Hole; Timber Buck,
 Sugar & Oak, &c.

North Return Sec. 11 & 12 T. 3. N. R. 27.
 39.01 To a Brook 10 lks dist, corner W.
 40.00 Set a 7th suppost
 80.00 Set a post for the cor. of sec. 11 & 12 from which
 Hick 16 in dia. bears S 50 E. 4 lks dist; 12
 W Oak 8 " " S 17 W. 15 " "
 This mile is over hilly lands; Timber Oak, & Poplar, &c.

East On a Random line between Sec. 1 & 12 T. 3. N. R. 27.
 27.00 To a Brook 10 lks dist, corner S.
 40.00 Set a 7th suppost
 82.02 Intersect the East Boundary 104 lks North of the
 post cor. of sec. 1 & 12. Lands the same, as last mile.

West On the same line between Sec. 1 & 12 T. 3. N. R. 27.
 41.02 Set the 7th suppost at the ar. dist. in the line
 from which Buck 10 in dia. bears S 50 W. 12 lks dist
 under a Do. 9 " " North 17 " "
 82.04 To the cor. of sec. 1. 2. 11 & 12

North Return Sec. 1 & 2 T. 3. N. R. 27.
 1.10 To a W Oak 20 in dia. in the line

T. N. 3. N. R. N. 2 W. 2nd Mm. Ind.

28.00 To a Brook 10 miles wide, Coma N.
 40.00 Set a 1/2 super from which
 Buck. 20 in dia. beam S 57 E. 13 miles wide, N.
 W Oak. 20 " " " S 44 E. 43 " "
 79.40 Intercept the North Boundary 197 miles West of the first
 cor of sec 35 & 36. T. 4 N. R. 2 W. & set apart for the
 " " " 1/2 super from which
 Nick 10 in dia. beam S 41 E. 25 miles wide, N.
 Logwood, Co. " " " S 41 W. 17 " "
 Same as the same.

North Return Sec 34 & 35. T. 3. N. R. 2 W.
 40.00 Set a 1/2 super from which
 Sugar. 8 in dia. beam S 32 E. 13 miles wide, N.
 B Oak. 20 " " " S 24 W. 11 " "
 80.00 Set apart for the cor of sec 26, 27, 34 & 35 from which
 W Oak. 18 in dia. beam S 10 E. 4 miles wide, N.
 Do. — " " " S 37 E. 28 " "
 Same with, 1/2 rate; same Oak, Logwood, V.

West Return Sec 26 & 35. T. 3. N. R. 2 W.
 40.00 Marked the 1/2 super. on a Linn. 24 in dia.
 80.00 Hit the first cor of sec 26, 27, 34 & 35
 3rd rate; upland; Timber Buck, Oak, Linn. Nick

North Return Sec 26 & 27. T. 3. N. R. 2 W.
 35.00 To a Buck 24 in dia. in the line
 40.00 Set a 1/2 super from which
 Buck. 8 in dia. beam S 33 E. 13 miles wide, N.
 Do. " " " S 69 W. 17 " "
 60.80 To a Oak 36 in dia. in the line.
 80.00 A Poplar 14 in dia. stands further cor of sec 22,
 23, 26 & 27. Same Kelly 1/2 rate; same Oak,

T. N. 3. N. R. N. 2 W. 2nd Mm. Ind.

Same Buck, & Poplar, &c.

West Return Sec 23 & 26. T. 3. N. R. 2 W.
 40.00 Marked the 1/2 super. on a W Oak, 12 in dia.
 80.00 Hit the first cor of sec 22, 23, 26 & 27.
 Same 3rd rate Buck, & Oak, Hills

North Return Sec 22 & 23. T. 3. N. R. 2 W.
 32.00 To a Nick 18 in dia. in the line
 40.00 Set a 1/2 super from which
 Buck. — in dia. beam S 47 E. 29 miles wide, N.
 Poplar. 4 " " " S 26 W. 9 " "
 80.00 Set apart for the cor of sec 14, 15, 22 & 23 from which
 Buck 18 in dia. beam S 60 W. 8 miles wide, N.
 Do. 10 " " " S 81 E. 24 " "
 Same & timber same as before

West Return Sec 14 & 23. T. 3. N. R. 2 W.
 40.00 Set a 1/2 super from which
 Maple. 10 in dia. beam S 55 W. 36 miles wide, N.
 Buck 12 " " " S 7 W. 30 " "
 80.00 Hit the first cor of sec 14, 15, 22 & 23.
 Same 3rd rate; Oak, & Logwood, upland.

North Return Sec 14 & 15. T. 3. N. R. 2 W.
 27.00 To a Brook 30 miles wide, Coma N. 60 W.
 29.00 To a Buck, 18 in dia. in the line.
 40.00 Set a 1/2 super (from which) A Logwood
 Cor dia. stands further cor of 1/2 super.
 46.00 To a Buck 9 in dia. in the line
 80.00 Set apart for the cor of sec 14, 15, 22 & 23 from which
 Red Oak 14 in dia. beam S 60 W. 13 miles wide, N.
 Do. 13 " " " S 98 E. 12 " "

T. N. 3. N. R. N. 27. 0. 2. 7. M. S. d. a.

Sands & timber same as last mile.

West Return Sec 11 & 14 T. 3. N. R. 27.

40.00 Set a post support from which,

Beck 16 in dia. beam N 42 W. 20 lbs. dist. 8 a.

Lg. 14 " " " N 69 E. 34 " "

80.00 Set the post co. of sec 10, 11, 14 & 15.

Sands 2nd 13th rate Buck & Oak Hills.

North Return Sec 10 & 11 T. 3. N. R. 27.

31.50 To a Sugar. 8 in dia. in the line

40.00 Set a post support from which / Sugar, 8 in
dia. stands for the co. of 10 & 11.

75.50 To a Poplar. 11 in dia. in the line.

80.00 Set a post for the co. of sec 2, 3, 10 & 11 from which,

Beck 12 in dia. beam N 43 E. 18 lbs. dist. 10

Lg. 20 " " " N 7 E. 29 " "

Sands Hilby 8th rate; Timber Oak, Buck & some Poplar

East Return Sec 2 & 11 T. 3. N. R. 27.

40.00 Set a post support from which,

Beck 14 in dia. beam S 50 E. 20 lbs. dist. 10

Lg. 23 " " " N 75 E. 54 " "

65.00 Struck Freeman's line & set a post for the co. of
sec 2 & 11 from which,

Beck 14 in dia. beam S 50 E. 20 lbs. dist. 10

Lg. 23 " " " N 75 E. 54 " "

Sands 2nd rate upland; Smiley Timber Buck,
Oak, &c.

West Return Sec 11 T. 3. N. R. 27. On a Random.

40.00 Set a timber post

82.18 Set out the N. 75 line 166 lbs. North of the post co.
of sec 2, 3, 10 & 11.

T. N. 3. N. R. N. 27. 0. 2. 7. M. S. d. a.

East On the line line between Sec 2 & 11 T. 3. N. R. 27.

41.09 Set the timber post support at the corner on the line
from which N 37 W. about 6 in dia. beam N 7 W. 6 lbs. dist.
and an Elm. 6 " " " N 26 W. 7 " "

82.18 Set the co. of sec. 1, 2, 11 & 12

North Return Sec 2 & 3 T. 3. N. R. 27.

8.00 To a Beck. 6 in dia. in the line.

24.00 Set a post on Freeman's line for the co. of sec. 2 & 3
from which,

Beck 24 in dia. beam N 9 E. 25 lbs. dist. 10

Lg. " " " N 46 W. 50 " "

Sands made timber same as last mile. Dec. 19.

North Return Sec 2 & 3 T. 3. N. R. 27.

40.00 Set a post support from which,

Oak 20 in dia. beam East 8 lbs. dist. 10

80.50 Set out the N. 75 line 350 lbs. West of the post

co. of sec. 34 & 35 T. 4. N. R. 27 and set a post

" " " 213 from which,

Beck 12 in dia. beam N 45 W. 18 lbs. dist. 10

Lg. 15 " " " N 41 W. 17 " "

Sands Hilby very.

North Return Sec 33 & 34 T. 3. N. R. 27.

9.30 To a Beck. 14 in dia. in the line.

40.00 Set a post support from which,

Lg. 15 in dia. beam N 71 E. 10 lbs. dist. 10

Sugar 8 " " " S 80 W. 21 " "

61.20 To a Hick. 12 in dia. in the line.

80.00 Set a post for the co. of sec 27, 28, 33 & 34 from which

a Beck 14 in dia. beam S 41 E. 30 lbs. dist. 10

Lg. 8 " " " N 55 E. 42 " "

Sands flat ridges, 2nd rate; Timber Buck, Oak, &c.

I. N. 3. N. R. N. 27. 2nd. Mm. Ind.

West	Return Jan 27 1834 I. 3. N. R. 27.
40.00	Set a 1/2 suppost from whitch,
	Beck. 12 in diam. beams 113 E. 16 W. dist. 12,
	20. 10. " " 87 E. 17. " "
80.00	Set the post on of sec. 27. 28. 33. 134.
North	Return Jan 27 1838 I. 3. N. R. 27.
5.50	To a W. Ash. 36 in diam. in the line.
40.00	Set a 1/2 suppost from whitch,
	Beck 10 in diam. beams. S 51 E. 10 W. dist. 10,
	W Oak 11. " " N 70 W. 14. " "
79.15	To a Beck 12 in diam. in the line.
80.00	Set a post for the cor. of sec. 21. 22. 27. 138 from whitch,
	Beck. 18 in diam. beams N 52 E. 24 W. dist. 12,
	Dogwood 7. " " S 23 E. 26. " "
	Land & timber same as last mile.
West	Return Jan 22 1837 I. 3. N. R. 27.
40.00	Set a 1/2 suppost from whitch,
	Red Oak. 16 in. diam. beams. N 41 E. 13 W. dist. 12,
	W Oak 20. " " " 87 S 71 30. " "
80.00	Set the post on. of sec. 21. 22. 27. 138.
	Land 2nd 13rd rate Beck, Head Hill
North	Return Jan 21 1832 I. 3. N. R. 27.
28.50	To a W Oak. 24 in diam. in the line.
40.00	Set a 1/2 suppost from whitch,
	Beck 30 in diam. beams S 32 W. 8 W. dist. 12,
	20. 20. " " " N 32 E. 17. " "
67.50	To a Beck. 14 in diam. in the line.
80.00	Set a post for the cor. of sec. 15. 16. 21. 132 from whitch,
	Beck 20 in diam. beams. N 10 W. 40 W. dist. 12,
	20. 10. " " " S 66 E. 32. " "

I. N. 3. N. R. N. 27. 2nd. Mm. Ind.

	Face of the land; timber soil; &c. same as last mile.
West	Return Jan 15 1832 I. 3. N. R. 27.
40.00	Set a 1/2 suppost from whitch,
	Beck. 18 in diam. beams S 30 W. 9 W. dist. 12,
	20. 20. " " " N 80 W. 20. " "
80.00	Set the post on of sec. 15. 16. 21. 132.
	Land flat Oak. Ridge
North	Return Jan 15 1836 I. 3. N. R. 27.
7.00	To a Sugar. 18 in diam. in the line.
40.00	Set a 1/2 suppost from whitch,
	Beck 20 in diam. beams S 56 E. 23 W. dist. 12,
	Dogwood 7. " " " N 52 W. 14. " "
49.25	To a Beck. 9 in diam. in the line.
80.00	Set a Beck. 11 in diam. stands for the cor. of sec. 9. 10. 15 116.
	Land & timber same as last mile.
West	Return Jan 10 1835 I. 3. N. R. 27.
10.50	To a Brook 20 in diam. in the line.
40.00	Marked the 1/2 suppost on a Beck. 20 in diam.
80.00	Set the post on of sec. 9. 10. 15 116.
	Land 3rd rate; Beck, Hill.
North	Return Jan 9 1830 I. 3. N. R. 27.
32.00	To an S Maple. 18 in diam. in the line.
40.00	Set a 1/2 suppost from whitch,
	W Oak. 8 in diam. beams N 11 E. 8 W. dist. 12,
	20. " " " " S 32 W. 9. " "
46.50	To an Ash. 8 in. diam. in the line.
80.00	Set a Beck. 7 in diam. stands for the cor. of sec. 3. 4. 9 110.
	Face of the land and timber &c. same as last mile.

T. N. 3 N. R. N. 2 W. 2nd M. Ind.

Nest Between Sec. 3 & 10 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from which
 Buck. 20 in dia. beam. 177.20 lbs ash, 20
 Do. 8 " " " 162 & 25 " "
 42.50 To a km. 40 links mid, Conner N
 80.00 To the cor of sec. 3. 4. 9 110.
 Lands & timber same as last mile.

North Between Sec. 3 & 14 T. 3. N. R. 2 W.
 12.00 To a km. 30 links mid, Conner N
 15.50 To a Ruttenut. 11 in dia. in the mid.
 40.00 Set a 1/2 supert from which
 B. Oak. 7 in dia. beam. 131 & 17 links ash, 20
 Do. 10 " " " 110 14 " "
 50.70 Enter cut Freeman's line and set apart for the cor.
 of sec. 3 & 14 from which
 Buck. 30 in dia. beam. 145 11.18 lbs ash, 20
 Sugar " " " 182 & 23 " "
 Lands & timber same as above.

North Between Sec. 3 & 14 T. 3. N. R. 2 W.
 40.00 To the 1/2 supert.
 77.78 Enter cut to the 1/2 supert. 480 lbs West of the first cor
 of sec. 33 & 34. T. 4. N. R. 2 W. and set apart for the cor
 of sec. 3 & 14 from which
 Poplar. 8 in dia. beam. 148 & 8 lbs ash, 20
 Do. 9 " " " 135 & 13 " "
 Land very hilly, timber Oak, Buck, Hickory &c.

North Between Sec. 32 & 33 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from which
 13 Walnut 7 in dia. beam. 119 & 5 lbs ash, 20
 Sassafras 7 " " " 114 " "
 46.00 To Brook 15 links mid, Conner E.

T. N. 3 N. R. N. 2 W. 2nd M. Ind.

73.00 To Sugar. 17 in dia. in the mid.
 77.50 To a Brook. 40 links mid, Conner 2 & 3 E.
 80.00 Set apart for the cor of sec. 28. 29. 32 & 33 from which
 Buck. 8 in dia. beam. 183 11.25 lbs ash, 20
 Poplar. 30 " " " 138 & 24 " "
 Lands hilly, 13rd rate, some few Oak, &c.

Nest Between Sec. 28 & 33 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from which
 Sugar. 12 in dia. beam. 133 & 15 lbs ash, 20
 Elm. 6 " " " 115 11.13 " "
 60.00 To a km. 15 links mid, Conner E.
 80.00 Set the first cor of sec. 28. 29. 32 & 33
 Lands poor Buck, Sassafras, Hickory.

North Between Sec. 28 & 29 T. 3. N. R. 2 W.
 31.01 To a N Oak. 36 in dia. in the mid.
 40.00 Set a 1/2 supert from which
 Elm. 8 in dia. beam. 133 & 15 lbs ash, 20
 Buck. 8 " " " 135 11.11 " "
 67.00 To a Brook 12 in dia. in the mid.
 80.00 Set apart for the cor of sec. 20. 21. 28 & 29 from which
 Buck. 11 in dia. beam. 164 & 13 lbs ash, 20
 " " " 137 11.8 " "
 Lands hilly, 13rd rate, timber Oak chiefly.

Nest Between Sec. 21 & 25 T. 3. N. R. 2 W.
 40.00 Set a 1/2 supert from which
 Buck. 12 in dia. beam. 160 11.20 lbs ash, 20
 Do. 30 " " " 145 & 28 " "
 80.00 Set the first cor of sec. 20. 21. 28 & 29.
 Land 3rd rate Buck, Sassafras, Hickory.

I. N. 3. N. R. N. 272nd Mm. Ind.

North Return Dec. 20th 1891 I. 3. N. R. 272nd
 40.00 Set a post for the cor of 1/4 sec from whitch,
 N Walnut 10 in dia. beam. N 48 E 7 1/2 the dist. to,
 Buck. 11 " " " N 22 W 32 " "
 69.50 To a Poplar 24 in dia. in the line.
 80.00 Set a post for the cor of sec. 16 17 21 22 from whitch,
 Buck 12 in dia. beam. N 37 W 28 1/2 the dist. to,
 Do. 10 " " " S 15 E 10 " "
 Sands & timber same as above.

West Return Dec. 16th 1891 I. 3. N. R. 272nd
 40.00 Set a post from whitch,
 Buck. 6 in dia. beam. N 37 W 17 1/2 the dist. to,
 Do. 12 " " " S 6 W 24 " "
 80.00 With the post cor of sec. 16 17 21 & 22.
 Same 2nd & 3rd rate; Buck. & Oak, Little.

North Return Dec. 16th 1891 I. 3. N. R. 272nd
 13.00 To a Good Spring corner. N 45 W.
 36.25 To a Buck. 11 in dia. in the line.
 40.00 Set a post for the cor of 1/4 sec. from whitch,
 Buck 11 in dia. beam. S 62 W 10 1/2 the dist. to,
 66.00 To a Buck. 18 in dia. in the line.
 80.00 Set a post for the cor of sec. 8. 9. 16. 27 from whitch,
 Sugar. 8 in dia. beam. S 82 E 10 1/2 the dist. to,
 Dogwood 7 " " " N 82 W 15 " "
 Sands & timber same as last met.

West Return Dec. 9th 1891 I. 3. N. R. 272nd
 40.00 Set a post from whitch, Buck 10 in dia.
 It was for the cor of 1/4 sec.
 80.00 With the post cor of sec. 8. 9. 16. 27.
 Sand hilly 2nd rate; Timber Oak & some Buck.

I. N. 3. N. R. N. 272nd Mm. Ind.

North Return Dec. 8th 1891 I. 3. N. R. 272nd
 31.85 To a Log. 15 in dia. in the line.
 40.00 Set a post from whitch,
 Poplar 8 in dia. beam. S 38 W 9 the dist. to,
 Do. " " " " N 47 W 23 " "
 77.75 To a Hick. 18 in dia. in the line.
 80.00 Set a post for the cor of sec. 4. 5. 8 & 9 from whitch,
 Sugar. 9 in dia. beam. N 17 E 23 1/2 the dist. to,
 Do. 7 " " " S 74 E 16 " "
 Sands on the timber same as last met.

West Return Dec. 4th 1891 I. 3. N. R. 272nd
 30.00 To a Run 50 yards wide, Corner I. W.
 40.00 Set a post from whitch. A Buck. 18 in dia.
 It was for the cor of 1/4 sec.
 75.00 To a Run 50 yards wide, Corner N 45 W.
 80.00 To the post cor of sec. 4. 5. 8 & 9.
 Sand hilly Timber Buck. Oak &c. 2nd rate.

North Return Dec. 4th 1891 I. 3. N. R. 272nd
 10.00 To a Run 50 yards wide, Corner N.
 40.00 To a Log. 8 in dia. It was for the cor of 1/4 sec.
 79.00 Set a post on Sherman's line for the cor of Grad. Sec.
 4 & 5 from whitch,
 Walnut. 12 in dia. beam. S 42 E 18 the dist. to,
 Do. 48 " " " " N 35 W 13 " "
 80.40 Intersection of Boundary 500 yds. W. of north F.
 Sand hilly 2nd rate; Timber Oak, Buck &c.

North Return Dec. 31st 1891 I. 3. N. R. 272nd
 26.00 To a W. Oak. 20 in dia. in the line.
 40.00 To a Sugar 8 in dia. It was for the cor of 1/4 sec.
 57.50 To a Run. 18 " " " in the line.
 80.00 Set a post for the cor of sec. 29. 30. 31 & 32 from whitch

61 3 2 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

J. N. 3. A. R. N. 272nd Mm. Ind.

North Return Dec 20th 1871 J. 3. N. R. 272nd
 40.00 Set a post for the cor of 1/4 sec from white,
 W Walnut 10 in diam here. N 48 E 7 1/2 lbs ash, 10,
 Buck 11 " " " A 22 N 32 " "
 69.50 To a Poplar 24 in diam in the river.
 80.00 Set a post for the cor of sec. 16, 17, 20 & 21 from white,
 Buck 12 in diam here. N 37 N 28 lbs ash, 10,
 10. 10 " " " S 18 E 10 " "
 Same & timber same as above.

West Return Dec 16th 1871 J. 3. N. R. 272nd
 40.00 Set a post from white,
 Buck 6 in diam here. N 37 N 17 lbs ash, 10,
 10. 13 " " " N 6 N 24 " "
 80.00 Set the post cor of sec. 16, 17, 20 & 21.
 Same 2nd & 3rd rate; Buck, Oak, & H. 10.

North Return Dec 16th 1871 J. 3. N. R. 272nd
 13.00 To a Good Spring corner. 445 N.
 36.25 To a Buck 11 in diam in the river.
 40.00 Set a post for the cor of 1/4 sec. from white,
 Buck 11 in diam here. S 82 N 10 lbs ash, 10,
 66.00 To a Buck 18 in diam in the river.
 80.00 Set a post for the cor of sec. 8, 9, 16, 17 & 18 from white,
 Sugar 8 in diam here. S 82 E 10 lbs ash, 10,
 Dogwood 7 " " " N 82 N 15 " "
 Same & timber same as last met.

West Return Dec 9th 1871 J. 3. N. R. 272nd
 40.00 Set a 1/4 sup post from white, Buck 10 in diam
 It was for the cor of 1/4 sec
 80.00 Set the post cor of sec. 8, 9, 16 & 17.
 Same & timber 2nd rate; Timber Oak & some Buck

J. N. 3. A. R. N. 272nd Mm. Ind.

North Return Dec 8th 1871 J. 3. N. R. 272nd
 31.85 To a Sugar 15 in diam in the river
 40.00 Set a post from white,
 Poplar 8 in diam here. S 87 N 9 lbs ash, 10,
 10. - " " " " N 47 N 23 " "
 77.75 To a Hick 18 in diam in the river.
 80.00 Set a post for the cor of sec. 4, 5, 8 & 9 from white,
 Sugar 9 in diam here. N 17 E 23 lbs ash, 10,
 10. 7 " " " S 14 E 16 " "
 Same ends timber same as last met.

West Return Dec 4th 1871 J. 3. N. R. 272nd
 30.00 To a Run 50 yards wide, corner L 77.
 40.00 Set a post from white, A Buck 18 in diam.
 It was for the cor of 1/4 sec
 75.00 To a Run 50 yards wide, corner N 45 N.
 80.00 To the post cor of sec. 4, 5, 8 & 9.
 Same fully timber Buck, Oak, & H. 2nd rate;

North Return Dec 4th 1871 J. 3. N. R. 272nd
 10.00 To a Run 50 yards wide, corner N.
 40.00 To a Sugar 8 in diam. It was for the cor of 1/4 sec.
 79.00 Set a post on Truman's line for the cor of frac. Sec.
 4 & 5 from white,
 10. 12 in diam here. S 42 E 15 lbs ash, 10,
 80.40 To a 48 " boundary 500 yds. of post 2nd rate.
 Same fully 2nd rate; Timber Oak, Buck & H.

North Return Dec 31st 1871 J. 3. N. R. 272nd
 26.00 To a N. Oak 20 in diam in the river.
 40.00 To a Sugar 8 in diam. It was for the cor of 1/4 sec
 57.50 To a Run 18 " " " in the river.
 80.00 Set a post for the cor of sec. 29, 30, 31 & 32 from white

Fa. W. Walnut 10 1/2 lbs ash 11
 a Dogwood 6 1/2 lbs ash 16

See.

J. N. 3. N. R. N. 27 2nd Mm. Ind.

A. Poplar 8 in diam. beam. 128 N. 24 W. dist. 12,
 Do. — " " " 168 N. 33 " "
 Sand hills, 19th rate, Some few Oak, &

West Return Sat. 29 132. J. 3. N. R. 27.
 1.00 To get small drain Come &
 40.00 Set a post from white,
 Bech. 10 in diam. beam. 125 N. 24 W. dist. 12,
 Do. 6 " " " 53 E. 16 " "
 80.00 Hit the post on of 29. 30. 31 132.
 Sand 3rd rate Bech, Oak, Hills;

West Return Sat. 30 131. J. 3. N. R. 27.
 40.00 Set a post from white,
 Oak 8 in diam. beam. North 28 W. dist. 12,
 Elm. 12 " " " 5 E. 15 " "
 80.70 Set out the West Boundary at Bart's post on of
 Sat. 25 136 J. 3. N. R. 3 M. Sand from tarry hills
 Bech. saplings & 1 Brine.

North Return Sat. 29 130. J. 3. N. R. 3 M.
 8.00 To a Bech. 12 in diam. in the line.
 40.00 Set a post from white,
 Sassafras 7 in diam. beam. 144 E. 12 W. dist. 12, sap
 Iron rock 7 " " " 15 W. 8 " "
 54.50 To a Poplar. 30 in diam. in the line.
 80.00 Set a post for the cor. of 29. 20. 29 & 30 from white,
 Bech. 9 in diam. beam. 130 N. 23 W. dist. 12,
 Poplar. 36 " " " 17 E. 13 " "
 Sand & timber same as last mile.

West Return Sat. 20 129. J. 3. N. R. 27.
 40.00 Set a post from white,

J. N. 3. N. R. N. 27 2nd Mm. Ind.

Bech 6 in diam. beam. 167 E. 29 W. dist. 12,
 Do. 11 " " " 169 N. 24 " "
 80.00 Hit the post on of 29. 19. 20. 29 130

West Return Sat. 19 130. J. 3. N. R. 27.
 40.00 Set a post from white,
 Bech. 10 in diam. beam. 172 N. 16 W. dist. 12,
 Do. 9 " " " 50 E. 12 " "
 80.80 Set out the West Boundary at the cor. of 29. 24 135.
 J. 3. N. R. 3 M. post set by Bartw.
 Sand 3rd rate Bech, Oak, Hills

North Return Sat. 19 130. J. 3. N. R. 27.
 13.00 To a Run. 30 in diam. beam. 160 N.
 33.00 To a Bech. 10 in diam. in the line.
 40.00 Set a post from white,
 Bech. 20 in diam. beam. 169 E. 30 W. dist. 12,
 Poplar. 8 " " " 154 N. 19 " "
 55.00 To a Bech. 20 in diam. in the line.
 80.00 Set a post for the cor. of 29. 17. 18. 19 & 20 from white,
 Bech. 12 in diam. beam. 130 N. 22 W. dist. 12,
 Do. 10 " " " 52 E. 11 " "
 Sand & timber same as last mile. Dec. 20th

West Return Sat. 17 120. J. 3. N. R. 27.
 40.00 Set a post from white,
 Bech. 8 in diam. beam. 136 N. 11 W. dist. 12,
 Do. 6 " " " 48 E. 7 " "
 41.00 To a Brook 8 W. side, Course West by link
 Kept on the South side of same. Get 1/4 mile.
 80.00 Hit the post on of 17. 18. 19 120.
 Sand 2nd rate, Oak, Bech, & Poplar.

